




RAPID HANGER
(non HD) front




RAPID HANGER
(non HD) side




T-PROFILE SUSPENSION
(non HD) front



T-PROFILE SUSPENSION
(non HD) side





EDGE PROFILE 24x24 mm
(non HD) sec



T-PROFILE 38x15
(non HD) side



T-PROFILE 38x15
(non HD) side



Detail H

Type Stretch Metal	Mat	LW x SW - W x t	Thickness h	Open area	Weight
LS6	Fe	6 x 4,5 - 1,2 x 1,0 mm	1,5 mm	36%	4,2 kg/m2
LS8	Fe	8 x 6,0 - 1,2 x 1,0 mm	2,0 mm	54%	3,2 kg/m2
LS10	Fe	10 x 7,0 - 1,5 x 1,0 mm	2,0 mm	57%	3,2 kg/m2
LS12	Fe	12 x 9,5 - 1,6 x 1,0 mm	3,0 mm	53%	3,2 kg/m2
LS16	Fe	16 x 11,0 - 3,0 x 1,0 mm	4,0 mm	46%	4,3 kg/m2
LD10	Fe	10 x 5,8 - 1,5 x 1,0 mm	2,0 mm	45%	4,1 kg/m2
LD16	Fe	16 x 8,0 - 2,0 x 1,0 mm	3,0 mm	47%	4,0 kg/m2
LD20 Rotterdam	Fe	20 x 10 - 2,0 x 1,5 mm	3,5 mm	55%	4,6 kg/m2
LD28 Moscow	Fe	28 x 10 - 2,0 x 1,5 mm	3,5 mm	55%	4,8 kg/m2
LD43 Paris	Fe	43 x 13 - 2,5 x 1,5 mm	4,0 mm	60%	4,4 kg/m2